



# M.S.D.S.

**PRODUCT NAME** "DDS"

**PRODUCT NUMBER** 74601 **M.S.D.S.** 74601 **NUMBER** 11/01/03

## Section 1. Chemical product and company identification

**COMPANY** APC-2000, Inc.  
110 W. Pontiac Ave., #118  
Clovis, CA 93612 USA

**PRODUCT** DDS

## Section 2. Composition/information on ingredients

SYNONYM/CHEMICAL NAME/Common Name: DISINFECTANT  
DOT HAZARD CLASS: NOT CLASSIFIED AS HAZARDOUS BY DOT  
PROPER SHIPPING NAME: COMPOUND, CLEANING, LIQUID

HAZARDOUS INGREDIENTS:	WT %:	TOXICITY DATA:
N-ALKYL DIMETHYL BENZYL-AMMONIUM CHLORIDE / CAS# 68424-85-1	10.0	N/D
ETHYL ALCOHOL / CAS# 64-17-5	1.25	ACHIG TLV=1880 mg/m

THIS PRODUCT CONTAINS NO CHEMICAL AT A LEVEL WHICH POSES A SIGNIFICANT RISK AS DEFINED BY CALIFORNIA PROPOSITION 65.

THIS PRODUCT CONTAINS NO TOXIC CHEMICAL, ABOVE ITS DE MINIMIS CONCENTRATION, SUBJECT TO REPORTING REQUIREMENTS OF TITLE III SARA, SECTION 313 EPCRA (40 CFR 372).

## Section 3. Hazards identification, including emergency overview

PRIMARY ROUTES OF ENTRY: NONE

SIGNS AND SYMPTOMS: UNDILUTED PRODUCT IS EXTREMELY IRRITATING TO EYES.

THERE ARE NO KNOWN CHRONIC HEALTH EFFECTS CAUSED BY THE USE OF THIS PRODUCT.

## Section 4. First aid measures

FIRST AID PROCEDURES: FOR EYE CONTACT, FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, CONTACT A PHYSICIAN. IF INGESTED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, EGG WHITES, GELATIN SOLUTION OR WATER. AVOID ALCOHOL. GET MEDICAL ATTENTION.

\*POSSIBLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

## Section 5. Fire fighting measures

FLASH POINT: NONFLAMMABLE                      EXTINGUISHING MEDIA: TREAT PRIMARY FIRE  
NO SPECIAL FIRE FIGHTING PROCEDURES. NO UNUSUAL FIRE OR EXPLOSIVE HAZARDS.

## Section 6. Accidental release measures

IN CASE OF SPILL: WET MATERIAL IS SLIPPERY. REMOVE WITH RAGS, MOPS, OR BY FLUSHING WITH WATER.

## Section 7. Handling and storage

NO SPECIAL STORAGE OR HANDLING PRECAUTIONS

## Section 8. Exposure controls/personal protection

USE WITH ADEQUATE VENTILATION. RUBBER GLOVES ARE RECOMMENDED FOR PROLONGED OR REPEATED CONTACT. GUARD AGAINST SPLASHING INTO EYES. NO RESPIRATORY PROTECTION REQUIRED.

## Section 9. Physical and chemical properties

SPECIFIC GRAVITY (H<sub>2</sub>O=1): 0.996 VAPOR PRESSURE: 17.2 mm Hg (WATER)  
VAPOR DENSITY: (AIR=1): >1 PERCENTAGE VOLATILE BY WEIGHT: 90.5  
SOLUBILITY IN WATER: COMPLETE pH (UNDILUTED): 7.5 TO 8.5 EVAPORATION RATE:  
(H<sub>2</sub>O=1): <1 FREEZING POINT: .32' BOILING POINT: 212 F  
APPEARANCE AND ODOR: COLORLESS LIQUID WITH BLAND ODOR.

## Section 10. Stability and reactivity

STABLE. HAZARDOUS POLYMERIZATION WILL NOT OCCUR. NO INCOMPATIBILITIES OR CONDITIONS TO AVOID.

## Section 11. Toxicological information

N/A

## Section 12. Ecological information

N/A

## Section 13. Disposal considerations

FOLLOW ALL LOCAL, STATE, AND FEDERAL WASTE DISPOSAL REGULATIONS.

## Section 14. Transport information

CLASS 55 FOR GROUND TRANSPORTATION

## Section 15. Regulatory information

N/A

## Section 16. Other information

N/A

## **FOR MORE INFORMATION CALL:**

- IN THE USA: 888 344 7224
- INTERNATIONAL: 559 292-3500
- FAX: 559 292-3511
- ON THE WEB: [www.workmaster.com](http://www.workmaster.com)
- E-MAIL: [info@workmaster.com](mailto:info@workmaster.com)

This form complies with OSHA's Hazard Communication Standard, 20 CFR 1910.1200. Workmaster believes the above information is reliable. Handling of the designated product shall be restricted to qualified persons. Workmaster makes no warranty, expressed or implied, with respect to such information and assumes no responsibility whatever for any damage which results from the use of such information or the designated product. Users must make their own tests when using the designated product with any other product or any process.