

MATERIAL SAFETY DATA SHEET

(Prepared According to 29 CFR 1910.1200)

SECTION I - PRODUCT IDENTIFICATION

Fiberlock Technologies, Inc.
150 Dascomb Rd.
Andover, MA 01810
978-623-9987
978-475-6205 fax
www.fiberlock.com

RECON™ Extreme Duty Odor Counteractant (3041)

Date of Preparation: May 24, 2004
Information Telephone Number: 978-623-9987
Emergency Telephone Numbers:
Weekdays: 978-623-9987
After hours, weekends & holidays: "CHEMTEL"
Emergency Contact Number: 800-255-3924

SECTION II - INGREDIENT INFORMATION

CHEMICAL NAME	CAS NO.	SARA III List	OSHA PEL	ACGIH TLV
Isopropanol	67-63-0	No	400	400

Other non-hazardous ingredients constitute less than 1%. This product does not contain any toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372

SECTION III - PHYSICAL DATA

Boiling Point (°F): 180°	Vapor Density (Air=1): >1	Evaporation Rate (Water=1): >1
Specific Gravity: 0.96	Solubility in Water: Soluble	Physical Description: Clear, water white liquid alcohol odor.
Vapor Pressure: N/A		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 74°F Special Firefighting Procedures: Cool fire-exposed container with water.
Unusual Fire and Explosion Hazards: None known Extinguishing Media: Foam, dry chemical, carbon dioxide, water fog.

SECTION V - REACTIVITY DATA

Stability: Stable	Hazardous Polymerization: None
Conditions to Avoid: Open flame, welding arcs, heat, sparks.	Incompatibility (Materials to Avoid): Any material not compatible with water.
	Hazards Decomposition Products: Oxides of carbon & nitrogen, unidentified organic compounds.

SECTION VI - STORAGE AND HANDLING INFORMATION

Keep out of reach of children. Store in a cool dry place away from heat and ignition sources.

SECTION VII - HEALTH HAZARDS AND FIRST AID

Effects of Overexposure:

Skin: Irritation due to defatting of skin. **Eyes:** Burning & irritation of the eyes. Prolonged contact may be corrosive. **Inhalation:** May cause irritation of the mucous membrane in contact with spray or mist. **Ingestion:** Irritating and may be corrosive to mouth, esophagus and stomach. **Medical Conditions Generally Aggravated by Exposure:** Contact may aggravate irritation in pre-existing lesion.

First Aid Procedures:

Skin: Wash with soap and water. Seek medical attention if irritation persists. **Eyes:** Flush with water for 15 minutes. Seek medical attention. **Inhalation:** Remove to fresh air and monitor. **Ingestion:** Do not induce vomiting. Drink 3 to 4 glasses of water. Call physician immediately.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: If vapor concentration exceeds TLV, use respirator approved by NIOSH approved for organic vapor.
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV. **Protective Gloves:** Neoprene, rubber, nitrile. **Eye Protection:** Safety glasses recommended. **Other Protective Equipment:** None. **Hygienic Work Practices:** Wash hands with soap and water before handling food.

SECTION IX - SPILL OR LEAK PROCEDURES

Steps to be taken in Case Material is Released or Spilled: Extinguish all ignition sources. Use positive pressure fresh air mask. Dike area & pump to an intact container. **Waste Disposal Method:** Incinerate or landfill according to local, state or federal regulations.

SECTION X - REGULATORY INFORMATION

SARA Title III - Section 311/312 - Hazard Categories:

Yes - Fire Hazard
No - Sudden Release of Pressure Hazard
No - Reactivity Hazard
No - Immediate (acute) Health Hazard
No - Delayed (chronic) Health Hazard

DOT Hazard Classification: Flammable Liquid, N.O.S. 3

To comply with New Jersey DOH Right-To-Know labeling law (N.J.A.C. 8:59 - 5.1 & 5.2)

CAS. No.:	CHEMICAL INGREDIENTS:
67-63-0	Isopropyl Alcohol
7732-18-5	Water
9016-45-9	Nonyl Phenol Polyethoxylate
57-55-6	Propylene Glycol
	Monomer Esters (proprietary mixture)

HMIS HAZARD RATING

Health 2	Flammability 3	Reactivity 0	Personal Protection B
HAZARD INDEX: 0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe			

N/A=Not Applicable